

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	Fi	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/709,679	05/21/2004		Josep Maria Roset Rubio	8146ES	3678
23688	7590	05/09/2005	EXAMINER :		INER :
Bruce E. Har	_		PRASAD, CHANDRIKA		
PO BOX 872735 VANCOUVER, WA 98687-2735				ART UNIT PAPER NUMBER	
				2839	

DATE MAILED: 05/09/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

XX

	Application No.	Applicant(s)					
Office Astron Occasion	10/709,679	ROSET RUBIO, JOSEP MARIA					
Office Action Summary	Examiner	Art Unit					
· · · · · · · · · · · · · · · · · · ·	Chandrika Prasad	2839					
The MAILING DATE of this communication apperiod for Reply	opears on the cover sheet with the c	orrespondence address					
A SHORTENED STATUTORY PERIOD FOR REP THE MAILING DATE OF THIS COMMUNICATION  - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a re  - If NO period for reply is specified above, the maximum statutory perio  - Failure to reply within the set or extended period for reply will, by statue Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	1.136(a). In no event, however, may a reply be timely within the statutory minimum of thirty (30) day d will apply and will expire SIX (6) MONTHS from the statutory to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on 21	May 2004.						
2a) This action is <b>FINAL</b> . 2b) ⊠ Th	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.						
	] Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under	Ex parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.					
Disposition of Claims							
4) Claim(s) 1 and 2 is/are pending in the application 4a) Of the above claim(s) is/are withdrest claim(s) is/are allowed.  5) Claim(s) 1 and 2 is/are rejected.  7) Claim(s) is/are objected to.  8) Claim(s) are subject to restriction and	awn from consideration.						
Application Papers		•					
9) ☐ The specification is objected to by the Examination 10) ☐ The drawing(s) filed on 21 May 2004 is/are:  Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction 11) ☐ The oath or declaration is objected to by the	a) accepted or b) objected to let on the drawing (s) be held in abeyance. Section is required if the drawing (s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).					
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the priority application from the International Bure * See the attached detailed Office action for a list	nts have been received.  nts have been received in Applicati  iority documents have been receive  au (PCT Rule 17.2(a)).	on No ed in this National Stage					
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0 Paper No(s)/Mail Date 5/21/04.	4) Interview Summary Paper No(s)/Mail D  5) Notice of Informal P  6) Other:	· ·					

Art Unit: 2839

#### **DETAILED ACTION**

### Specification

1. The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed.

### **Drawings**

2. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the screw with a hollow trunco-conical part partially introduced therein and a non-universal configuration must be shown or the feature(s) canceled from the claims 1-2. No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner,

Art Unit: 2839

the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

3. The drawings are objected to under 37 CFR 1.83(a) because they fail to show the screw provided with a partially introduced hollow-conical part, its open ends and the side opening in the wall as well as a particular head as described in the specification (see Paragraph 21). Any structural detail that is essential for a proper understanding of the disclosed invention should be shown in the drawing. MPEP § 608.02(d). Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Art Unit: 2839

Note: Figure 4 shows a screw 14 partially introduced into a cylindrical part 15. The screw 14 and the part 15 are separate parts. Part 15 is not part of the screw. The head of the screw is simply circular which is the most common shape.

4. A cross-sectional view of the drawings in partially and fully assembled position is recommended for clear illustration of the invention.

### Claim Rejections - 35 USC § 112

- 5. The following is a quotation of the second paragraph of 35 U.S.C. 112:

  The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 6. Claims 1-2 are rejected under 35 U.S.C. 112, second paragraph, as failing to set forth the subject matter which applicant(s) regard as their invention. Evidence that claims fail to correspond in scope with that which applicant(s) regard as the invention can be found in the Figure 4 which shows a screw 14 partially introduced in a truncoconical part (not numbered). This indicates that the invention is different from what is defined in the claim(s) because the claim suggests the part 15 partially introduced in the screw.

Note. A screw 14 with a universal head and partially introduced in a trunco-conical part (not numbered) has been assumed.

## Claim Rejections - 35 USC § 102

7. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

<sup>(</sup>b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Application/Control Number: 10/709,679

Art Unit: 2839

8. Claims 1-2 are rejected under 35 U.S.C. 102(b) as being anticipated by Fulop

(5791845).

Fulop (Figures 1-16) shows a security device having a screw 1 with a circular

Page 5

head and partially introduced into a hollow trunco-conical part 2 which has two open

ends and an opening in the walls such that the walls close on the screw when the

device is introduced into a hole in support 30.

Conclusion

9. The prior art made of record and not relied upon is considered pertinent to

applicant's disclosure. The securing device as shown in the drawings and as claimed is

common knowledge, widely used and readily available in most hardware stores. Smith

(5244324, 5690454), Rudnicki et al. (5944466), Shaner(6406233) also show such

security devices.

**Contact Information** 

10. Any correspondence to this action may be mailed to:

Commissioner for Patents Post Office Box 1450

**Alexandria, VA 22313-1450** 

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Chandrika Prasad at (571) 272-2099. If attempts to

reach the examiner by telephone are unsuccessful, the examiner's supervisor can be

reached at (571) 272-2800 ext 39. The fax number is (703) 872-9306.

Chandrika Prasad Primary examiner May 5, 2005